

**BHADARWAH CAMPUS-UNIVERSITY OF JAMMU**  
**BHADARWAH**

**TENDER NOTICE**

For and on behalf of the University of Jammu, the I/c Asstt. Registrar, Bhadarwah Campus invites sealed tenders from different firms for supplying of different items (i.e. Plant Material, GI Pipe, sanitary fitting, Aluminum Wall Ladder etc) for Bhadarwah Campus so as to reach in the office of Assistant Registrar Bhadarwah Campus on or before **21/05/2013** up to **4 PM** through registered post or speed post (Dasti/tender through courier will not be accepted) on payment of Rs **500/-** in cash (Non –Refundable) w.e.f **08/05/2013** to **20/05/2013** which can be had from the office of u/sd. Or download from University web site [www.bhaderwahcampus.in](http://www.bhaderwahcampus.in). Tender document downloaded should be accompanied with Bank draft amounting to Rs **500/=** in favour of Rector Bhaderwah campus payable at J&K Bank Bhaderwah.

  
I/c Asstt Registrar  
Bhadarwah campus

No.BC/JU/13/212  
Dated: 07-05-2013

**BHADARWAH CAMPUS-UNIVERSITY OF JAMMU**  
**BHADARWAH**

**TENDER NOTICE**

For and on behalf of the University of Jammu, the I/c Asstt. Registrar, Bhadarwah Campus invites sealed tenders from different firms for supplying of different items (i.e. Plant Material, GI Pipe, sanitary fitting, Aluminum Wall Ladder etc) for Bhadarwah Campus so as to reach in the office of Assistant Registrar Bhadarwah Campus on or before **21/05/2013** up to **4 PM** through registered post or speed post (Dasti/tender through courier will not be accepted) on payment of Rs **500/-** in cash (Non –Refundable) w.e.f **08/05/2013** to **20/05/2013** which can be had from the office of u/sd. Or download from University web site [www.bhaderwahcampus.in](http://www.bhaderwahcampus.in). Tender document downloaded should be accompanied with Bank draft amounting to Rs **500/=** in favour of Rector Bhaderwah campus payable at J&K Bank Bhaderwah.

**Terms & Conditions:-**

1. Wax sealed tenders should be submitted through registered /speed post only. Tenders submitted by hand will not be accepted.
2. The tenders should reach the office of I/c Assistant Registrar, Bhadarwah Campus by or before last date i.e. 21/05/2013 up to 4 pm and will be opened on the same day or any other date convenient to the tender opening committee. Tender received after last date will not be accepted.
3. Rates should be quoted F.O.R Bhadarwah Campus at Sungli and should be inclusive of all taxes etc. If applicable.
4. Quantity can be increased / decreased as per requirement at site.
5. No conditional or over written tender will be accepted.
6. Quoted plant material to be supplied should be healthy free from any disease or pest.
7. 25% of total amount of bill of supply and plantation of grass turf will be kept as deposit for a period of 03 months or till the turf gets established & 1st mowing done. The turf till its establishment will have to be maintained by the contractor.
8. 2% of the quoted cost should be accompanied with tender in the shape of CDR duly pledge to Rector, Bhadarwah Campus.
9. Any defective supply not fulfilling the specification will be out rightly rejected and the supplier will have to replace it with proper specification.
10. Supply will have to be made within 15 days from the date of issue of supply order.
11. Rates quoted will be valid till the supply is made in full.
12. Tender opening committee, Bhadarwah Campus reserves all rights to accept or reject one or all tenders without arguing any reason.
13. In case of supplies not made as per specification and not replaced, the CDR will be forfeited.
14. The tender should enclose copies of TAN Number VAT & PAN card along with tender.
15. Taxes applicable as per rules will be deducted at source.
16. Payment will be made after satisfactory receipt of material / completion of job as per supply order.

-sd-  
I/c Asstt Registrar  
Bhadarwah campus

No.BC/JU/13/212  
Dated: 07-05-2013

## Annexure -1

### Tender from for supply of plant material

S.No	Name of Item	Approx. Qty	Size & Height of Plant	Rate Offered	Amount
1.	Selection 1 grass turf including plantation & maintenance till establishment of turf	5000 sft. area	Free from any admixture		
3.	Juda Tree	50 No.	4'-5' height grown in Poly bag/Gunny bag healthy		
4.	Eunemous Golden	1000 No	1 ½ to 2' height grown in poly bag healthy & bushy		
5.	Cineraria Seedling	300.	Well rooted grown in Poly bag/Pot.		
6.	PVC flower pots	100.	9" size.		
7.	Hand Diesel driven power mini tiller (Diesel Hal ) with tilling / ditching components (3 group) 6 H.P Engine.	1 No.	1100 A (LxWxH)mm 1800x1050x850 tilling Scope 1100 mm tilling depth 150~300 engine model 178F dimension (LxWxH) 383x421x450		
8.	F.Y.M /cowdungmanure (Well rotten free from any admixture /	5000 cft			

Signature of Supplier

*-sd-*  
Assistant Registrar  
Bhadarwah Campus

## Annexure - A

**1 Supply of GI Pipe of different Dia and their fixture make medium ISI marked.**

S.No	Items.	Quantity.	Rate.	Amount.
1.	(i) G.I Pipe 25mm (ii) G.I Pipe 20mm (iii) G.I Pipe 15mm	300 mtrs 300 mts 300 mts		
2.	(i) Tee ¾" x ½" (ii) Tee 20mm (iii) Tee 15mm (iv) Tee 1" x ¾" (v) Tee 1" x ½"	70 No's 30 No's 50 No's 30 No's 30 No's 150 No's		
3.	(i) Socket 20mm (ii) Socket 15mm (iii) Socket 25mm	150 No's 75 No's		
4.	(i) Union 25mm (ii) Union 20mm (iii) Union 15 mm	15 No's 40 No's 40 No's		
5.	(i) Stop 25mm Brass Ball Valve with Hamdel (ii) Stop 20mm Brass Ball Valve with Hamdel (iii) Stop 15mm Brass Ball Valve with Hamdel	12 No's 30 No's 30 No's		
6.	(i) Elbow 25mm (ii) Elbow 20mm (iii) Elbow 15mm	30 No's 50 No's 50 No's		
7.	(i) Socket Reducer 1" x ¾" (ii) Socket Reducer ¾" x ½" (iii) Elbow Reducer 1" x ¾" (iv) Elbow Reducer ¾" x ½"	20 No's 20 No's 15 No's 15 No's		
8.	(i) Wrinch 18 inch (ii) Wrinch 24 inch	2 no's 2 no's		
9.	(i) Electric Hand Drill (GSB 13 RE-13mm Impact Drill) (COMPANY BOSCH)	1 No's		
10.	(i) Single Hand Die	1 no's		
11.	Polycarbonated Multilayered sheet 8mm /.	750 SFT		
12.	Polycarbonated Multilayered Sheet 6mm	950 SFT		

## Annexure B

### List of PPR of sensory items

S.No	ITEMS.	SIZE.	QTY/LENGTH.	RATE.	AMOUNT.
1.	Supreme/Premier/Pilsa Pipe PN 20	50mm	60 meters		
2.	Supreme/Premier/Pilsa Pipe PN 20	40mm	60 meters		
3.	Supreme/Premier/Pilsa Pipe PN 20	32mm	60 meters		
4.	Supreme/Premier/Pilsa Pipe PN 20	25mm	60 meters		
5.	Supreme/Premier/Pilsa Pipe PN 20	20mm	60 meters		
6.	Supreme/Premier/Pilsa Socket	50mm	12 No's		
7.	Supreme/Premier/Pilsa Socket	40mm	12 No's		
8.	Supreme/Premier/Pilsa Socket	32mm	16 No's		
9.	Supreme/Premier/Pilsa Socket	25mm	16 No's		
10.	Supreme/Premier/Pilsa Socket	20mm	16 No's		
11.	Supreme/Premier/Pilsa Union	50mm	12 No's		
12.	Supreme/Premier/Pilsa Union	40mm	12 No's		
13.	Supreme/Premier/Pilsa Union	32mm	12 No's		
14.	Supreme/Premier/Pilsa Union	25mm	12 No's		
15.	Supreme/Premier/Pilsa Union	20mm	12 No's		
16.	Supreme/Premier/Pilsa Tee	50mm	12 No's		
17.	Supreme/Premier/Pilsa Tee	40mm	12 No's		
18.	Supreme/Premier/Pilsa Tee	32mm	16 No's		
19.	Supreme/Premier/Pilsa Tee	25mm	16 No's		
20.	Supreme/Premier/Pilsa Tee	20mm	16 No's		
21.	Supreme/Premier/Pilsa Elbow	50mm	15 No's		
22.	Supreme/Premier/Pilsa Elbow	40mm	15 No's		
23.	Supreme/Premier/Pilsa Elbow	32mm	16 No's		
24.	Supreme/Premier/Pilsa Elbow	25mm	16 No's		
25.	Supreme/Premier/Pilsa Elbow	20mm	16 No's		
26.	Supreme/Premier/Pilsa Adapter	25mm	16 No's		
27.	Supreme/Premier/Pilsa Adapter	20mm	16 No's		
28.	Supreme/Premier/Pilsa Ball Valve	50mm	6 No's		
29.	Supreme/Premier/Pilsa Ball Valve	40mm	6 No's		
30.	Supreme/Premier/Pilsa Ball Valve	32mm	6 No's		
31.	Supreme/Premier/Pilsa Ball Valve	25mm	10 No's		
32.	Supreme/Premier/Pilsa Ball Valve	20mm	10 No's		
33.	Supreme/Premier/Pilsa Female Thread Elbow	25mm	16 No's		
34.	Supreme/Premier/Pilsa Female Thread Elbow	20mm	16 No's		
35.	Supreme/Premier/Pilsa Male Thread Elbow	25mm	16 No's		
36.	Supreme/Premier/Pilsa Male Thread Elbow	20mm	16 No's		
37.	Supreme/Premier/Pilsa Female Thread Tee	25mm	16 No's		
38.	Supreme/Premier/Pilsa Male Thread Tee	20mm	16 No's		
39.	Supreme/Premier/Pilsa Female Thread Adapter	25mm	16 No's		
40.	Supreme/Premier/Pilsa Male Thread Adapter	20mm	16 No's		
41.	Supreme/Premier/Pilsa Cross Tee	25mm	8 No's		
42.	Supreme/Premier/Pilsa Cross Tee	20mm	8 No's		
43.	Supreme/Premier/Pilsa End Cap	50mm	8 No's		
44.	Supreme/Premier/Pilsa End Cap	40mm	8 No's		
45.	Supreme/Premier/Pilsa End Cap	32mm	8 No's		
46.	Supreme/Premier/Pilsa End Cap	25mm	8 No's		

47.	Supreme/Premier/Pilsa End Cap	20mm	8 Nos		
48.	Supreme/Premier/Pilsa Reducer Socket	25/20mm	8 Nos		
49.	Supreme/Premier/Pilsa Reducer Socket	32/20mm	8 Nos		
50.	Supreme/Premier/Pilsa Reducer Socket	32/25mm	8 Nos		
51.	Supreme/Premier/Pilsa Reducer Socket	40/20mm	8 Nos		
52.	Supreme/Premier/Pilsa Reducer Socket	40/25mm	8 Nos		
53.	Supreme/Premier/Pilsa Reducer Socket	40/32mm	8 Nos		
54.	Supreme/Premier/Pilsa Reducer Socket	50/40mm	8 Nos		
55.	Supreme/Premier/Pilsa Reducer Socket	50/32mm	8 Nos		
56.	Supreme/Premier/Pilsa Reducer Socket	50/25mm	8 Nos		
57.	Supreme/Premier/Pilsa Reducer Socket	50/20mm	8 Nos		
58.	Supreme/Premier/Pilsa Tank Connection	20mm	6 Nos		
59.	Supreme/Premier/Pilsa Tank Connection	25mm	8 Nos		
60.	Supreme/Premier/Pilsa Tank Connection	32mm	8 Nos		
61.	Supreme/Premier/Pilsa Tank Connection	40mm	8 Nos		
62.	Supreme/Premier/Pilsa Tank Connection	50mm	8 Nos		

### Annexure – C

S.No	Detail of items	Rate	Amount
1.	Aluminum wall reclining extension ladder made cut of C- Slope section 75mm x 3.5/4mm as per I S 733-1983 temper T-6 and steps made of aluminum 26mm corrugated squire as per I S 733-1983-T-6 in two fold model design to ensure easy sliding means of rope of fully in provided with a safety device gravity paws and anti skid rubber shoes. a) Close height 16 feet, extended height 28 feet. (1 No)		
2.	Aluminum self supporting ladder made out of aluminum C shape section 75mm x 35mm x 3.5mm as per IS 733-1983 temper T-6 and steps made out of Aluminum 26mm corrugated squire as per I S 733-1983-7-6 heighted support and platform at top 2'-0" x 1'- 6" and non skid rubber shoes at the bottom of 4 legs of the ladder. a) Size – height 6 feet. (1 No)		
1.	Supply of Electric Pump make Compton 5 HP (1 No)		
2.	Supply of Electric Pump make Crompton 2 HP (1 No)		